

Amendment under 37 C.F.R. §1.111 dated May 26, 2005
Serial No. 10/669,716
Attorney Docket No. 031217

AMENDMENTS TO THE CLAIMS

This listing of claims replaces all prior versions of claims in the application.

Listing of Claims

Claim 1 (Previously Presented): A system for controlling a speed of an internal combustion engine installed in an outboard motor mounted on a boat and having a propeller powered by the engine to propel the boat, the engine having a throttle valve that regulates air to be sucked, comprising:

an actuator connected to the throttle valve to move it in an opening direction or in a closing direction;

engine speed detecting means for detecting the speed of the engine;

engine trouble detecting means for detecting a trouble occurred in the engine;

engine speed discriminating means for discriminating whether the detected engine speed exceeds a predetermined speed when it is detected that the trouble has occurred in the engine;
and

actuator driving means for driving the actuator to move the throttle valve in the closing direction such that the engine speed drops, when it is discriminated that the detected engine speed exceeds the predetermined speed, wherein

the actuator driving means drives the actuator to move the throttle valve in the closing direction by an amount repeatedly such that the engine speed drops gradually.

Amendment under 37 C.F.R. §1.111 dated May 26, 2005
Serial No. 10/669,716
Attorney Docket No. 031217

Claim 2 (Original): A system according to claim 1, wherein the trouble includes at least one of engine overheating, shortage of engine oil and excessive engine revving.

Claim 3 (Original): A system according to claim 1, further including:
alerting means for alerting an operator to occurrence of the trouble.

Claim 4 (Original): A system according to claim 1, wherein the predetermined speed is a speed at which the engine can assumably continue to run until the boat has returned to port.

Claim 5 (Cancelled)

Claim 6 (Previously Presented): A method of controlling speed of an internal combustion engine installed in an outboard motor mounted on a boat and having a propeller powered by the engine to propel the boat, the engine having a throttle valve that regulates air to be sucked and an actuator connected to the throttle valve to move it in an opening direction or in a closing direction,, comprising the steps of:

detecting the speed of the engine;

detecting a trouble occurred in the engine;

discriminating whether the detected engine speed exceeds a predetermined speed when it is detected that the trouble has occurred in the engine; and

Amendment under 37 C.F.R. §1.111 dated May 26, 2005
Serial No. 10/669,716
Attorney Docket No. 031217

driving the actuator to move the throttle valve in the closing direction such that the engine speed drops, when it is discriminated that the detected engine speed exceeds the predetermined speed, wherein

the step of actuator driving drives the actuator to move the throttle valve in the closing direction by an amount repeatedly such that the engine speed drops gradually.

Claim 7 (Original): A method according to claim 6, wherein the trouble includes at least one of engine overheating, shortage of engine oil and excessive engine revving.

Claim 8 (Original): A method according to claim 6, further including the step of:
altering an operator to occurrence of the trouble.

Claim 9 (Original): A method according to claim 6, wherein the predetermined speed is a speed at which the engine can assumably continue to run until the boat has returned to port.

Claim 10 (Cancelled)

Claim 11 (Currently Amended): A computer program embodied on a computer-readable medium for controlling speed of an internal combustion engine installed in an outboard motor mounted on a boat and having a propeller powered by the engine to propel the boat, the engine

Amendment under 37 C.F.R. §1.111 dated May 26, 2005
Serial No. 10/669,716
Attorney Docket No. 031217

having a throttle valve that regulates air to be sucked and an actuator connected to the throttle valve to move it in an opening direction or in a closing direction,, comprising the steps of:

detecting the speed of the engine;

detecting a trouble occurred in the engine;

discriminating whether the detected engine speed exceeds a predetermined speed when it is detected that the trouble has occurred in the engine; and

driving the actuator to move the throttle valve in the closing direction by an amount repeatedly such that the engine speed drops gradually, when it is discriminated that the detected engine speed exceeds the predetermined speed.